

Le niveau d'eau 2019:

Une comparaison entre le Grand Lac Rond (Lac Roddick) et Lac 31 Milles

Michael Lukyniuk

Le 9 juin 2019

But: Le but de cette recherche c'est d'enregistrer les changements du niveau d'eau sur le Grand Lac Rond (Lac Roddick) et Lac 31 Milles afin de mieux connaître la relation entre eux. L'énorme fluctuation du niveau d'eau du Grand Lac Rond crée des inconvénients pour les résidences et pose des risques pour l'environnement. Il est à espérer que ces relevés peuvent nous aider à trouver une solution à ce problème.

Méthodologie: D'une pointe solide (à 146,658 m géodésique)¹ près de la berge du Grand Lac Rond, je prends des mesures et je calcul le changement du niveau d'eau sur le lac. Avec des mesures publiées sur le site de Centre d'expertise hydrique du Québec² (CEHQ), je calcule le changement du niveau d'eau sur le Lac 31 Milles. Avec les informations d'Environnement Canada³, je prends note de la précipitation à l'aéroport de Maniwaki.

Analyse: L'HIVER DE 2018-19 n'a pas connu plus de neige qu'en 2017-18, mais la neige a resté sur la terre pour une longue période de temps et le dégel a commencé plus tard. Probablement, cet effet était une des causes qui a contribué aux inondations importantes en avril et mai.

| Précipitation pour la période du 1 décembre au 31 mars | |
|--|--------|
| Hiver 2018-19 | 291 mm |
| Hiver 2017-18 | 262 mm |
| Hiver 2016-17 | 295 mm |
| Hiver 2015-16 | 450 mm |
| Hiver 2014-15 | 188 mm |
| Hiver 2013-14 | 195 mm |

1 Le CEHQ m'a donné une mesure d'une pointe solide à 146,734. Cette pointe était démanagée à 146,658 m.

2 <http://www.cehq.gouv.qc.ca/suivihydro/graphique.asp?NoStation=040829>

3 http://climate.weather.gc.ca/historical_data/search_historic_data_stations_e.html?searchType=stnName&timeframe=1&txtStationName=maniwaki&searchMethod=contains&optLimit=yesRange&StartYear=1840&EndYear=2016&Year=2016&Month=8&Day=3&selRowPerPage=25

LES MOIS D'AVRIL ET MAI 2019 : Durant cette période, le Grand Lac Rond a subit les plus grands inondations depuis 1974. Le niveau d'eau a monté jusqu'à 148.80 m – soit 1.7 m (67 pouces) plus haut que le normal en été. À part du dégel tardif (mentionné ci-haut), il y avait trois facteurs qui ont contribué à cette situation :

1. **La précipitation qui a accumulé dans le bassin versant du Grand Lac Rond a augmenté son niveau d'eau.** Ce bassin versant qui renouvelle le lac est de trois fois la taille de la surface du lac. Alors la précipitation peut avoir un grand effet sur le niveau d'eau du lac. Voici la précipitation pour les six dernières années :

| Date | Précipitation |
|-------------------|---------------|
| avril et mai 2019 | 237 mm |
| avril et mai 2018 | 155 mm |
| avril et mai 2017 | 282 mm |
| avril et mai 2016 | 137 mm |
| avril et mai 2015 | 154 mm |
| avril et mai 2014 | 193 mm |

Comme vous pouvez constater, en 2019 il y avait plus de précipitation que normal. C'était également le cas en 2017 quand il y avait aussi des importants inondations (le niveau d'eau a atteint 148.69 m le 9 mai 2017).


2. **Le niveau de la rivière Gatineau peut ralentir la décharge du Grand Lac Rond si la rivière est très élevée.** Le Grand Lac Rond est toujours 2 à 3 m plus haut que la rivière, alors l'eau de la rivière ne peut pas rentrer dans le lac. (Nota : La seule exception est arrivé en 1974 quand il y avait un grand problème avec le barrage Mercier.) Si le niveau d'eau de la rivière est élevé et il ralenti la décharge du lac, le niveau d'eau du Grand Lac Rond peut monté. En 2019, la rivière a monté jusqu'à 166.45 m le 27 mai et il a descendu à 166.09 m le 2 juin.⁴ Probablement ce facteur a eu un effet sur l'inondation mais c'est difficile de calculer l'étendue.
3. **La décharge du barrage au Lac des 31 Milles peut augmenter le niveau d'eau au Grand Lac Rond.** En été, le Grand Lac Rond bénéficie de la décharge du barrage, sinon le niveau

⁴ Information obtenu de la Commission de planification de la régularisation de la rivière des Outaouais, <http://rivieredesoutaouais.ca/niveaux-debits-riviere.php>

d'eau du lac serait trop bas. En printemps, le Grand Lac Rond bénéficie de la rétention de l'eau, sinon le lac serait inondé étant donné que le dégel de neige et les averses de printemps ont lieu en même temps. Jusqu'au 4 mai 2019 tout fonctionnait bien – le niveau d'eau au Grand Lac Rond descendait lentement et la rétention de l'eau était en vigueur au Lac des 31 Milles. (Le niveau d'eau au Lac des 31 Milles était à 162.60 m – soit 50 cm (19 pouces) plus haut que le niveau normal en été.) Malheureusement du 4 au 23 mai le barrage a évacué les grands quantités d'eau du Lac des 31 Milles réduisant ainsi son niveau d'eau de 20 cm (8 pouces). L'effet était catastrophique pour le Grand Lac Rond – son niveau d'eau a **monté de 59 cm (23 pouces)** à un niveau qui était 1.7 m (67 pouces) plus haut que le niveau normal en été. Le Lac a connu les plus importants inondations depuis 1974. Bien sûr, les précipitations et le niveau haut de la rivière Gatineau ont aussi contribué à ce désastre. Mais la décharge du barrage était la principale raison pour l'augmentation des inondations. Depuis le 23 mai, le niveau d'eau du Lac des 31 Milles est resté stable (à 162.38 m) et, finalement, au 31 mai le niveau d'eau du Grand Lac Rond a commencé de descendre (mais il est encore très haut aujourd'hui à 148.34 m).

Voici deux tableaux qui montent les changements au Grand Lac Rond et au Lac des 31 Milles du 22 avril au 26 mai :

Grand Lac Rond



Lac des 31 Milles





Pour mettre la situation en contexte, le Grand Lac Rond est toujours inondé **à 1,24 m (48 pouces) de plus que le niveau normal en été**; le Lac des 31 Milles est maintenant supérieur **à 28 cm (11 pouces) au niveau normal en été**. Si le barrage continue de retenir l'eau du Lac des 31 Milles, il est à espérer que le niveau de l'eau au Grand Lac Rond pourra descendre à des niveaux acceptables sur le plan environnemental.

| Dates 2019 | N° de jours | Changement niveau Grand Lac Rond (Roddick) | Changement niveau Lac 31 Milles | Précipitation | Commentaires |
|-----------------------|-------------|---|------------------------------------|---------------|----------------|
| 25 – 27 avril * | 2 | + 7 cm 148.36 – 148.43 m | + 9 cm 162.48 – 162.57 m | 16.5 mm | GLR est inondé |
| 27 – 30 avril * | 3 | - 7 cm 148.43 – 148.36 m | + 2 cm 162.57 – 162.59 m | 0 mm | GLR est inondé |
| 30 avril – 2 mai * | 2 | - 4 cm 148.36- 148.32 m | + 1 cm 162.59 – 162.60 m | 14.5 mm | GLR est inondé |
| 2 – 5 mai * | 3 | - 5 cm 148.32 – 148.27 m | - 1 cm 162.60 – 162.59 m | 3.9 mm | GLR est inondé |
| 5 – 8 mai * | 3 | - 3 cm 148.27 – 148.24 m | - 3 cm 162.59 – 162.56 m | 4.3 mm | GLR est inondé |
| 8 – 12 mai * | 4 | - 3 cm 148.24 – 148.21 m | - 3 cm 162.56 – 162.53 m | 17 mm | GLR est inondé |
| 12 – 16 mai * | 4 | +3 cm 148.21 – 148.24 m | - 5 cm 162.53 – 162.48 m | 10.5 mm | GLR est inondé |
| 16 – 18 mai | 2 | +12 cm 148.24 – 140.36 m | - 3 cm 162.48 – 162.45 m | 3.1 mm | GLR est inondé |
| 18 – 20 mai | 2 | +12 cm 148.36 – 148.48 m | - 2 cm 162.45 – 162.43 m | 8.1 mm | GLR est inondé |
| 20 – 23 mai | 3 | +10 cm 148.48 – 148.58 m | - 3 cm 162.43 – 162.40 m | 27.7 mm | GLR est inondé |
| 23 – 26 mai* | 3 | +14 cm 148.58 – 148.72 m | 0 162.40 – 162.40 m | 8.7 mm | GLR est inondé |
| 26 – 29 mai* | 3 | +8 cm 148.72 – 148.80 m | - 1 cm 162.40 – 162.39 m | 4.7 mm | GLR est inondé |
| 29 mai – 1 juin* | 3 | - 8 cm 148.80 – 148.72 m | - 1 cm 162.39 – 162.38 m | 0.7 mm | GLR est inondé |
| 1 – 4 juin* | 3 | - 38 cm 148.72 – 148.34 m | + 1 cm 162.38 – 162.39 m | 8.3 mm | GLR est inondé |
| 4 – 6 juin | 2 | - 32 cm 148.34 – 148.02 m | - 2 cm 162.39 – 162.37 m | 0 | GLR est inondé |
| 6 – 9 juin* | 3 | - 34 cm 148.02 – 147.68 m | 0 162.37 – 162.37 m | 0 | GLR est inondé |

* Avec les mesures additionnelles d'André Patry

Grand Lac Rond water levels 2019
Niveau d'eau du Grand Lac Rond 2019





Water levels 2019:

A comparison between Grand Lac Rond (Lac Roddick) and Lac 31 Milles

Michael Lukyniuk

June 9, 2019

Purpose: The purpose of this study is to record the changes in water levels on Grand Lac Rond (Lac Roddick) and Lac 31 Milles in order to better understand the relationship between them. The enormous fluctuations in water levels on Grand Lac Rond create inconveniences for its residents and poses risks for the environment. These measurements can hopefully aid in finding a solution to this problem.

Methodology: From a solid point (at 146.658 m geodesic)⁵ near the shoreline of Grand Lac Rond, I take measurements and calculate the changes in water levels on the lake. From measurements published on the web site of the Centre d'expertise hydrique du Québec⁶ (CEHQ), I calculate the changes in water levels on Lac 31 Milles. From Environment Canada data⁷, I take note of precipitation at the Maniwaki airport.

Analysis: The winter of 2018-19 didn't have more precipitation than 2017-18, however the snow stayed on the ground for a longer period of time and the thaw started later. Probably this effect contributed to the massive flooding in April and May.

| Precipitation for the period between December 1 to March 31 | |
|---|--------|
| Winter 2018-19 | 291 mm |
| Winter 2017-18 | 262 mm |
| Winter 2016-17 | 295 mm |
| Winter 2015-16 | 450 mm |
| Winter 2014-15 | 188 mm |
| Winter 2013-14 | 195 mm |

5 The CEHQ provided me with a measurement from a solid point at 146.734 m. The point was moved to 146.658 m.

6 <http://www.cehq.gouv.qc.ca/suivihydro/graphique.asp?NoStation=040829>

7 http://climate.weather.gc.ca/historical_data/search_historic_data_stations_e.html?searchType=stnName&timeframe=1&txtStationName=maniwaki&searchMethod=contains&optLimit=yesRange&StartYear=1840&EndYear=2016&Year=2016&Month=8&Day=3&selRowPerPage=25

APRIL AND MAY 2019 : During this period, Grand Lac Rond experienced its heaviest flooding since 1974. The water level rose to 148.80 m – essentially 1.7 m (67 inches) higher than the normal level in summer. Aside from the late thaw of the snow (mentioned above), there are three factors which contributed to this situation :

1. **The precipitation which accumulated in the watershed of Grand Lac Rond increased its water level.** This watershed which replenishes the lake is three times the size of the surface of the lake. Therefore, precipitation can have a large effect on the water level of the lake. Here is a chart of the precipitation for the last six years :

| Date | Precipitation |
|--------------------|---------------|
| April and May 2019 | 237 mm |
| April and May 2018 | 155 mm |
| April and May 2017 | 282 mm |
| April and May 2016 | 137 mm |
| April and May 2015 | 154 mm |
| April and May 2014 | 193 mm |

As you can see, in 2019 there was more precipitation than normal. It was also the case in 2017 when there was also heavy flooding (the water level rose to 148.69 m on May 9, 2017).


2. **The water level of the Gatineau River can slow down the discharge from Grand Lac Rond if the river is very high.** Grand Lac Rond is always 2 to 3 m higher than the river, so water from the river cannot flow into the lake. (Note : The only exception happened in 1974 when there was a serious problem with the Mercier Dam.) If the water level of the river is high and it slows down the discharge from the lake, the water level of Grand Lac Rond can rise. In 2019, the Gatineau River rose to 166.45 m on May 27 and it descended to 166.09 m by June 2.⁸ So probably this factor had an effect on the flooding but it is difficult to calculate its extent.
3. **The discharge from the dam at Lac 31 Milles can raise the water level of Grand Lac Rond.** In summer. Grand Lac Rond benefits from the discharge, otherwise the water level of the lake

⁸ Information obtained from the Ottawa River Regulation Planning Board,
<http://rivieredesoutaouais.ca/niveaux-debits-riviere.php>

would be too low. In spring, Grand Lac Rond benefits from the retention of water by the dam, otherwise the lake would be flooded since the thawing snow and spring showers also take place at the same time. Up to May 4, 2019 everything was functioning fine – the water level of Grand Lac Rond was lowering slowly and the retention of water was taking place at Lac 31 Milles. (The water level at Lac 31 Milles was at 162.60 m – essentially 50 cm (19 inches) higher than the normal level in summer.) Unfortunately from May 4 to 23 the dam evacuated large quantities of water from Lac 31 Milles lowering its water level by 20 cm (8 inches). This effect was catastrophic for Grand Lac Rond – its water level **rose by 59 cm (23 inches)** at a level which was 1.7 m (67 inches) higher than the normal level in summer. The lake experienced its heaviest flooding since 1974. Of course, high precipitation and the elevated level of the Gatineau River also contributed to the disaster. But the discharge from the dam was the principle reason for the rising floodwaters. Since May 23, the water level of Lac 31 Milles has stayed stable (at 162.38 m) and, finally, on May 31 the water level of Grand Lac Rond began to descend (but it is still very high today at 148.34 m).

Here are two charts which illustrate the changes on Grand Lac Rond and Lac 31 Milles from April 22 to May 26:

Grand Lac Rond



Lac des 31 Milles



To put the situation in context, Grand Lac Rond is still flooded at **1.24 m (48 inches) higher than the normal level in summer**; Lac 31 Milles is now **28 cm (11 inches) higher than the normal level in summer**. With the dam continuing to retain water from Lac 31 Milles, there is hope that the water level on Grand Lac Rond can descend to acceptable environmental levels.

| Dates 2019 | Nº of days | Change in water level of Grand Lac Rond (Roddick) | Change in level of Lac 31 Milles | Precipitation | Comments |
|-----------------------|------------|---|-------------------------------------|---------------|----------------|
| April 25 – 27 * | 2 | + 7 cm 148.36 – 148.43 m | + 9 cm 162.48 – 162.57 m | 16.5 mm | GLR is flooded |
| April 27 – 30 * | 3 | - 7 cm 148.43 – 148.36 m | + 2 cm 162.57 – 162.59 m | 0 mm | GLR is flooded |
| April 30 – May 2 * | 2 | - 4 cm 148.36 – 148.32 m | + 1 cm 162.59 – 162.60 m | 14.5 mm | GLR is flooded |
| May 2 – 5 * | 3 | - 5 cm 148.32 – 148.27 m | - 1 cm 162.60 – 162.59 m | 3.9 mm | GLR is flooded |
| May 5 – 8 * | 3 | - 3 cm 148.27 – 148.24 m | - 3 cm 162.59 – 162.56 m | 4.3 mm | GLR is flooded |
| May 8 – 12 * | 4 | - 3 cm 148.24 – 148.21 m | - 3 cm 162.56 – 162.53 m | 17 mm | GLR is flooded |
| May 12 – 16 * | 4 | +3 cm 148.21 – 148.24 m | - 5 cm 162.53 – 162.48 m | 10.5 mm | GLR is flooded |
| May 16 – 18 | 2 | +12 cm 148.24 – 140.36 m | - 3 cm 162.48 – 162.45 m | 3.1 mm | GLR is flooded |
| May 18 – 20 | 2 | +12 cm 148.36 – 148.48 m | - 2 cm 162.45 – 162.43 m | 8.1 mm | GLR is flooded |
| May 20 – 23 | 3 | +10 cm 148.48 – 148.58 m | - 3 cm 162.43 – 162.40 m | 27.7 mm | GLR is flooded |
| May 23 – 26 | 3 | +14 cm 148.58 – 148.72 m | 0 162.40 – 162.40 m | 8.7 mm | GLR is flooded |
| May 26 – 29 * | 3 | +8 cm 148.72 – 148.80 m | - 1 cm 162.40 – 162.39 m | 4.7 mm | GLR is flooded |
| May 29 – June 1* | 3 | - 8 cm 148.80 – 148.72 m | - 1 cm 162.39 – 162.38 m | 0.7 mm | GLR is flooded |
| June 1 – 4* | 3 | - 38 cm 148.72 – 148.34 m | + 1 cm 162.38 – 162.39 m | 8.3 mm | GLR is flooded |
| June 4 – 6 | 2 | - 32 cm 148.34 – 148.02 m | - 2 cm 162.39 – 162.37 m | 0 | GLR est inondé |
| June 6 – 9* | 3 | - 34 cm 148.02 – 147.68 m | 0 162.37 – 162.37 m | 0 | GLR est inondé |

* With additional measurements by André Patry

Grand Lac Rond water levels 2019
Niveau d'eau du Grand Lac Rond 2019

